



整机状态：垂直轴普通型-油无-启无-消无-A轴-火RN9YC-调速弹簧B款-带汽油泵-拉盘无色-风扇罩无色-油箱无色-书-中性英文-贴LC英文-贴EC-纸整体包装-条英文(L0007，捷克S，排气口密封垫随机打包)						
易损属性说明:指在日常正确操作使用过程中该零部件易磨损的程度，作用是指导客户合理储备。A类代表容易磨损、B类代表不易磨损、C类代表基本不磨损。建议储备标准:A类零件按最高库存量储备，B类件按最低库存量储备，C类零件尽量不作储备。(Note vulnerable properties：Refers to the degree of wear and tear in the day-to-day operation of the correct use of this part which according to guide customers reasonable reserves.A for wear and tear easily, B for wear and tear is not easy while C for wear and tear on behalf of the non-basic.The part of A proposal by the highest parts inventory reserves; B for stocking pieces according to the minimum reserves and C try not to make reserves for)						
机型Model:LC2P76F		状态Status Code：L0007		成品编码 Code Number：T465006574-0101012	版本号：LC/LT-2023-A	
气缸头总成 (CYLINDER HEAD ASSY)						
序号 No.	零部件图号 Part No.	零部件名称	Description	规格状态	数量 Reqd. QTY	易损属性 CONSUMABLE GRADE
1	380140103-0004	六角头法兰面螺栓	Hexagon bolt with flange	GB/T 5789_M6_L=25;镀蓝白锌Q16	8	C
2	120220090-0001	气缸头盖组合	Cylinder head cover assy	T465;	2	C
3	120250071-0001	气缸头盖密封垫	Gasket for cylinder head cover	T465;	2	A
4	270960046-0001	火花塞	Spark plug	RN9YC;	2	A
5	380140455-0001	六角头法兰面螺栓	Hexagon bolt with flange	T390_M10×1.25_L=70_缸头连接螺栓;镀蓝白锌Q16	6	C
6	380140456-0001	六角头法兰面螺栓	Hexagon bolt with flange	T390_M10×1.25_L=50_缸头连接螺栓;镀蓝白锌Q16	4	C
7	120081016-0001	气缸头	Cylinder head	T465_左气缸头,优化结构;	1	B
8	120081017-0001	气缸头	Cylinder head	T465_右气缸头,优化结构;	1	B
9	120150260-0001	气缸头密封垫	Gasket for cylinder head	T465_石墨;	2	A
10	380600129-0001	定位销	ocation pin	T130_d=12_L=15;	4	C
11	380180109-0001	双头螺栓	Stud	T240_M8_L=39;镀蓝白锌Q16	4	C
12	180650074-0001	排气口密封垫	Outlet gasket	T370_石墨;	2	A
13	380460001-0006	弹性垫圈	Elastic washer	GB/T 93_d=8;镀蓝白锌Q16	4	B
14	380340005-0005	六角螺母	Hexagon nut	GB/T 6170_M8;镀蓝白锌Q16	4	C
曲轴箱体 (CRANKCASE)						
序号 No.	零部件图号 Part No.	零部件名称	Description	规格状态	数量 Reqd. QTY	易损属性 CONSUMABLE GRADE
1	380650337-0001	油封	Oil seal	T110_D=35_D=32_D=7;含Hg/Cr6/Pb/PBB/PBDE≤1000ppm,Cd≤100ppm	1	B
2	380741376-0002	通气管	Breather tube	T465_废气管;满足REACH要求	1	A
3	380140013-0005	六角头法兰面螺栓	Hexagon bolt with flange	GB/T 5789_M6_L=16;镀蓝白锌Q16	4	C
4	110840048-0001	呼吸槽盖板	CAP,BREATHER CHAMBER	T465;镀蓝白锌_Q16	1	C
5	110850033-0001	呼吸槽密封垫	PACKING , BREATHER CHAMBER	T465;	1	A
6	662850001-0001	过滤块支架	FILTER BLOCK BRACKET	T465;	1	C
7	380450559-0001	平垫圈	Flat washer	T370_内径8_外径16_厚度0.5;镀蓝白锌Q16	1	C
8	380140067-0003	六角头法兰面螺栓	Hexagon bolt with flange	GB/T 5789_M6_L=12;镀蓝白锌Q16	2	C
9	140250022-0001	簧片阀	Leaf valve	T465;	1	B
10	380940779-0001	线夹	Cable cleat	T465;镀蓝白锌Q16	1	A
11	380450522-0002	平垫圈	Flat washer	T110_121_内径6_外径16_厚度1.2;含Hg/Cr6/Pb/PBB/PBDE≤1000ppm,Cd≤100ppm_镀蓝白锌Q16	1	C
12	381350004-0001	销夹	Pin clip	T040_调速臂用;	1	A
13	380650339-0001	油封	Oil seal	T110_D=35_D=14_D=4;含Hg/Cr6/Pb/PBB/PBDE≤1000ppm,Cd≤100ppm	1	B
曲轴箱体 (CRANKCASE)						
序号 No.	零部件图号 Part No.	零部件名称	Description	规格状态	数量 Reqd. QTY	易损属性 CONSUMABLE GRADE
14	171630013-0001	调速臂	Speed regulating arm	T390;	1	B
15	380140595-0001	六角头法兰面螺栓	Hexagon bolt with flange	GB/T 5789_M8_L=30_10.9级;镀蓝白锌Q16	2	C
16	270360154-0002	起动机部件	Components of starting motor	T465;满足REACH要求	1	B
17	160190130-0001	空气导流罩	air deflector	T465_右;	1	C
18	380020070-0001	六角头轴肩螺栓	Hexagon shaft shoulder bolt	T370_M6×16.5(Φ8×3.5);镀蓝白锌Q16	4	C
19	110810491-0001	曲轴箱体	Crankcase body	T465_优化结构;	1	B
20	160190129-0001	空气导流罩	air deflector	T465_左;	1	C
21	380950400-0001	管夹	Pipe clip	T470_Φ14_废气管夹;	1	A
曲轴箱盖 (CRANKCASE COVER)						
序号 No.	零部件图号 Part No.	零部件名称	Description	规格状态	数量 Reqd. QTY	易损属性 CONSUMABLE GRADE
1	110820281-0001	曲轴箱盖	Crankcase cover	T465_取消散热筋;	1	C
2	380650770-0001	油封	Oil seal	T400_d=38_D=62_b=8_氟橡胶VITON;	1	B
3	380140152-0002	六角头法兰面螺栓	Hexagon bolt with flange	GB/T 5789_M8_L=45;镀黑锌Q10	10	C
4	380600123-0001	定位销	ocation pin	T370_d=10_L=12;	2	C
5	380640016-0001	钢球	Steel ball	GB/T 308_Φ9.5;	1	C
6	381150437-0001	压簧	Compression spring	T390_限压阀弹簧;	1	A
7	150350046-0002	机油过滤器组合	Oil filter	T400;满足ROHS要求	1	B
8	150840002-0002	机油过滤器安装螺栓	Oil filter Mounting bolts	T381;	1	C
9	150290044-0001	机油滤网	Engine oil Strainer	T465;	1	A
10	150340022-0001	机油滤网盖	Cover,Oil Strainer	T465;镀蓝白锌Q16	1	C
11	380140013-0005	六角头法兰面螺栓	Hexagon bolt with flange	GB/T 5789_M6_L=16;镀蓝白锌Q16	5	C
12	110830074-0001	曲轴箱盖密封垫	Crankcase cover gasket	T465;	1	A
13	380840443-0002	密封圈	Seal ring	T370_D=11.7_d=2.5_丙烯酸脂;满足REACH要求	1	A
曲轴箱盖 (CRANKCASE COVER)						
序号 No.	零部件图号 Part No.	零部件名称	Description	规格状态	数量 Reqd. QTY	易损属性 CONSUMABLE GRADE
14	110950005-0001	放油加长杆接头	Joint of extension bar for bleeding	T465;镀蓝白锌Q16	1	C
15	380960274-0001	卡箍组合	Clip combination	T465_Φ21_钢带;达克格Q19	2	A
16	380751099-0002	油管	Oil tube	T390_内径12.7_外径19.3_长240_快速放油管;满足REACH要求	1	A
17	662870001-0001	快速放油接头组合	VALVE-DRAIN, OIL	T465;	1	B
18	150040059-0001	油泵盖	Oil pump cover	T465;镀蓝白锌Q16	1	C
19	380840665-0002	密封圈	Seal ring	T390_D=47_d=3.5;满足REACH要求	1	A
20	150010076-0001	机油泵部件	Components of oil pump	T430;	1	B
21	171750051-0001	调速齿轮部件	Components of governor gear	T465_飞块重10g;垫片与调速帽抛光处理	1	B
22	110690126-0002	机油尺组合	Oil rule combination	T465_机油尺;带密封圈_满足REACH要求_本色黄24#QJ6	1	B
23	380140049-0003	六角头法兰面螺栓	Hexagon bolt with flange	GB/T 5789_M5_L=16;镀黑锌Q10	2	C
曲轴_活塞 (CRANKSHAFT_PISTON)						
序号 No.	零部件图号 Part No.	零部件名称	Description	规格状态	数量 Reqd. QTY	易损属性 CONSUMABLE GRADE
1	130070273-0001	活塞环组合	Piston ring combination	T465;	2	A
2	130030313-0001	活塞	Piston	T465;	2	A
3	380560078-0001	钢丝挡圈	Steel cable baffle ring	T390_活塞销挡圈;	4	B
4	130060085-0001	活塞销	Piston pin	T465_Φ17×40;	2	B
5	130150157-0002	连杆	Connecting rod	T465;装配工艺连杆螺栓	2	B
6	130290666-0001	曲轴部件	crankshaft	T465_A轴;	1	B
7	130180031-0001	连杆螺栓	Connecting rod bolt	T441;	4	C
配气系统 (ROCKER,CAMSHAFT)						
序号 No.	零部件图号 Part No.	零部件名称	Description	规格状态	数量 Reqd. QTY	易损属性 CONSUMABLE GRADE
1	140390015-0001	气门锁夹	Valve locker	T11D;含Hg/Cr6/Pb/PBB/PBDE≤1000ppm,Cds100ppm	8	B
2	140380021-0001	气门弹簧座	Retainer, valve spring	T11D_锁夹状态(通称)_非T11用;含Hg/Cr6/Pb/PBB/PBDE≤1000ppm,Cds100ppm	4	B
3	140340025-0001	气门内弹簧	Inner spring of valve	T11D_锁夹状态(通称)_非T11用;含Hg/Cr6/Pb/PBB/PBDE≤1000ppm,Cds100ppm	4	B
4	140400012-0001	挡油罩	Valve oil seal	T110;含Hg/Cr6/Pb/PBB/PBDE≤1000ppm,Cds100ppm	4	B
5	140360010-0001	气门内弹簧座圈	Seat, valve spring	T110;含Hg/Cr6/Pb/PBB/PBDE≤1000ppm,Cds100ppm	4	B
6	500550103-0001	气门套件	Valve Kit	T465;	2	B
7	140450035-0002	气门摇臂组合	Valve rocker combination	T390;螺栓螺母取消发黑处理	4	B
8	140710020-0001	推杆限位板组合	Plate, push rod guide	T465;	2	B
9	140670070-0001	挺杆组合	Push rod	T465_长146.5;	4	B
10	140690017-0001	挺柱	Lifter, Valve	T390;	4	B
11	140020231-0001	凸轮轴组合	Camshaft assy	T465_金属双减压;	1	B
化油器 (CARBURETOR)						
序号 No.	零部件图号 Part No.	零部件名称	Description	规格状态	数量 Reqd. QTY	易损属性 CONSUMABLE GRADE
1	1					




气缸头总成 (CYLINDER HEAD ASSY)						
序号	零部件图号	零部件名称	Description	规格状态	数量	易损属性
No.	Part No.				Reqd. QTY	CONSUMABLE GRAD
1	380140103-0004	六角头法兰面螺栓	Hexagon bolt with flange	GB/T 5789_M16_L=25, 镀蓝白锌Q16	8	C
2	120220090-0001	气缸头盖组合	Cylinder head cover assy	T465;	2	C
3	120250071-0001	气缸头盖密封垫	Gasket for cylinder head cover	T465;	2	A
4	270960046-0001	火花塞	Spark plug	RN9YC;	2	A
5	380140455-0001	六角头法兰面螺栓	Hexagon bolt with flange	_缸头连接螺栓;镀蓝白	6	C
6	380140456-0001	六角头法兰面螺栓	Hexagon bolt with flange	_缸头连接螺栓;镀蓝白	4	C
7	120081016-0001	气缸头	Cylinder head	T465_左气缸头,优化结构;	1	B
8	120081017-0001	气缸头	Cylinder head	T465_右气缸头,优化结构;	1	B
9	120150260-0001	气缸头密封垫	Gasket for cylinder head	T465_石墨;	2	A
10	380600129-0001	定位销	ocation pin	T130_d=12_L=15;	4	C
11	380180109-0001	双头螺栓	Stud	T240_M16_L=39,镀蓝白锌Q16	4	C
12	180650074-0001	排气口密封垫	Outlet gasket	T370_石墨;	2	A
13	380460001-0006	弹性垫圈	Elastic washer	GB/T 93_d=8;镀蓝白锌Q16	4	B
14	380340005-0005	六角螺母	Hexagon nut	GB/T 6170_M16,镀蓝白锌Q16	4	C




曲轴箱体 (CRANKCASE)

序号 No.	零部件图号 Part No.	零部件名称	Description	规格状态	数量	易损属性
					Reqd. QTY	CONSUMABLE GRADE
1	380650337-0001	油封	Oil seal	T, 高Hg/Cr6/Pb/PBB/ PBBF<1000mm Cd<1	1	B
2	380741376-0002	通气管	Breather tube	T465_波纹管,满足 GB/T 5783_1m0_L=10, 镀蓝白锌Q16	1	A
3	380140013-0005	六角头法兰面螺栓	Hexagon bolt with flange	T465; 镀蓝白锌 Q16	4	C
4	110840048-0001	呼吸槽盖板	CAP,BREATHER CHAMBER	T465; 镀蓝白锌 Q16	1	C
5	110850033-0001	呼吸槽密封垫	PACKING , BREATHER CHAMBER	T465;	1	A
6	662850001-0001	过滤块支架	FILTER BLOCK BRACKET	T465;	1	C
7	380450559-0001	平垫圈	Flat washer	T370_内径8_外径10_ 厚度1.5; 镀蓝白锌Q12, 镀蓝白锌Q16	1	C
8	380140067-0003	六角头法兰面螺栓	Hexagon bolt with flange	T465;	2	C
9	140250022-0001	簧片阀	Leaf valve	T465;	1	B
10	380940779-0001	线夹	Cable cleat	T465; 镀蓝白锌Q16	1	A
11	380450522-0002	平垫圈	Flat washer	Cr6/Pb/PBB/	1	C
12	381350004-0001	销夹	Pin clip	T040_调速臂用;	1	A
13	380650339-0001	油封	Oil seal	T, 高Hg/Cr6/Pb/PBB/ PBBF<1000mm Cd<1	1	B




曲轴箱体 (CRANKCASE)

序号 No.	零部件图号 Part No.	零部件名称	Description	规格状态	数量	易损属性
					Reqd. QTY	CONSUMABLE GRADE
14	171630013-0001	调速臂	Speed regulating arm	T390;	1	B
15	380140595-0001	六角头法兰面螺栓	Hexagon bolt with flange	5789_M8_L=30_10.9	2	C
16	270360154-0002	起动电机部件	Components of starting motor	T465;满足REACH要求	1	B
17	160190130-0001	空气导流罩	air deflector	T465_右;	1	C
18	380020070-0001	六角头轴肩螺栓	Hexagon shaft shoulder bolt	T370_M8×10.5(Φ8×5.5);镀锌白锌Q16	4	C
19	110810491-0001	曲轴箱体	Crankcase body	T465_优化结构;	1	B
20	160190129-0001	空气导流罩	air deflector	T465_左;	1	C
21	380950400-0001	管夹	Pipe clip	T470_Φ14_废气管夹;	1	A




曲轴箱盖 (CRANKCASE COVER)

序号 No.	零部件图号 Part No.	零部件名称	Description	规格状态	数量	易损属性
					Reqd. QTY	CONSUMABLE GRADE
1	110820281-0001	曲轴箱盖	Crankcase cover	T465 取消散热筋;	1	C
2	380650770-0001	油封	Oil seal	T400_d=38_D=62_D=	1	B
3	380140152-0002	六角头法兰面螺栓	Hexagon bolt with flange	GB/T 3769_M6_L=45, 镀锌	10	C
4	380600123-0001	定位销	ocation pin	T370_d=10_L=12;	2	C
5	380640016-0001	钢球	Steel ball	GB/T 308_Φ9.5;	1	C
6	381150437-0001	压簧	Compression spring	T390_限压阀弹簧;	1	A
7	150350046-0002	机油精滤器组合	Oil filter	T400;满足ROHS要求	1	B
8	150840002-0002	机油精滤器安装螺栓	Oil filter Mounting bolts	T381;	1	C
9	150290044-0001	机油滤网	Engine oil Strainer	T465;	1	A
10	150340022-0001	机油滤网盖	Cover,Oil Strainer	T465;镀蓝白锌Q16	1	C
11	380140013-0005	六角头法兰面螺栓	Hexagon bolt with flange	GB/T 3769_M6_L=10, 镀蓝白锌Q16	5	C
12	110830074-0001	曲轴箱盖密封垫	Crankcase cover gasket	T465;	1	A
13	380840443-0002	密封圈	Seal ring	丙稀酸脂;满足REACH	1	A




曲轴箱盖 (CRANKCASE COVER)

序号 No.	零部件图号 Part No.	零部件名称	Description	规格状态	数量	易损属性
					Reqd. QTY	CONSUMABLE GRADE
14	110950005-0001	放油加长杆接头	Joint of extension bar for bleeding	T465;镀蓝白锌Q16	1	C
15	380960274-0001	卡箍组合	Clip combination	T465_Φ21_钢带;达克铬Q19	2	A
16	380751099-0002	油管	Oil tube	T465_内径12.5_外径19.5_长240_抽速放油管,满足REACH要求	1	A
17	662870001-0001	快速放油接头组合	VALVE-DRAIN, OIL	T465;	1	B
18	150040059-0001	油泵盖	Oil pump cover	T465;镀蓝白锌Q16	1	C
19	380840665-0002	密封圈	Seal ring	T390_D=47_δ=3.5;满足REACH要求	1	A
20	150010076-0001	机油泵部件	Components of oil pump	T430;	1	B
21	171750051-0001	调速齿轮部件	Components of governor gear	T465_飞块重10g;垫片与调速帽抛光处理	1	B
22	110690126-0002	机油尺组合	Oil rule combination	T465_机油尺;带密封圈;满足REACH要求_本色基24#Q16	1	B
23	380140049-0003	六角头法兰面螺栓	Hexagon bolt with flange	GB/T 5789_M5_L=16;镀黑锌Q10	2	C




曲轴_活塞 (CRANKSHAFT_PISTON)

[illegible]




配气系统 (ROCKER,CAMSHAFT)						
序号	零部件图号	零部件名称	Description	规格状态	数量	易损属性
No.	Part No.				Reqd. QTY	CONSUMABLE GRADE
1	140390015-0001	气门锁夹	Valve locker	T465; 零件号: 140390015-0001	8	B
2	140380021-0001	气门弹簧座	Retainer, valve spring	零件号: 140380021-0001	4	B
3	140340025-0001	气门内弹簧	Inner spring of valve	零件号: 140340025-0001	4	B
4	140400012-0001	挡油罩	Valve oil seal	零件号: 140400012-0001	4	B
5	140360010-0001	气门内弹簧座圈	Seat, valve spring	零件号: 140360010-0001	4	B
6	500550103-0001	气门套件	Valve Kit	零件号: 500550103-0001	2	B
7	140450035-0002	气门摇臂组合	Valve rocker combination	零件号: 140450035-0002	4	B
8	140710020-0001	推杆限位板组合	Plate, push rod guide	零件号: 140710020-0001	2	B
9	140670070-0001	挺杆组合	Push rod	零件号: 140670070-0001	4	B
10	140690017-0001	挺柱	Lifter, Valve	零件号: 140690017-0001	4	B
11	140020231-0001	凸轮轴组合	Camshaft assy	零件号: 140020231-0001	1	B




化油器 (CARBURETOR)

序号 No.	零部件图号 Part No.	零部件名称	Description	规格状态	数量	易损属性
					Reqd. QTY	CONSUMABLE GRADE
1	170430106-0001	化油器密封垫	Carburetor gasket	T390_不含石棉纸垫_进气管密封垫;	2	A
2	180420825-0001	进气管	Intake pipe	T465;	1	C
3	380140100-0003	六角头法兰面螺栓	Hexagon bolt with flange	GB/T 5789_M6_L=35;镀蓝白锌Q16	4	C
4	380180093-0001	双头螺栓	Stud	T040_M6_L=113;镀蓝白锌Q16	4	C
5	170430227-0001	化油器密封垫	Carburetor gasket	T465_不含石棉纸垫_化油器与隔热垫之间的密封垫;	2	A
6	170440120-0001	化油器隔热垫	Heat insulating pad for carburetor	T465_酚醛树脂PF;	1	B
7	170022143-0002	化油器	Carburetor	T465_P24_带电磁阀,防暴改_铝合金油杯,两正DEACH面求	1	B
8	170430184-0001	化油器密封垫	Carburetor gasket	T400_空滤器垫;	1	A
9	173090003-0001	阻风门拉杆锁夹	Locker of choke valve pull rob	T400;	1	A
10	170470038-0002	汽油泵支架	Gasoline pump bracket	T465_C款,规格变更通知号FM202206130075_两正DEACH面求	1	C
11	170010045-0001	燃油滤清器	Fuel filter	T400_尼龙;	1	A
12	380960287-0001	卡箍组合	Clip combination	T400_Φ11.5;达克铬Q19	6	A




化油器 (CARBURETOR)

序号 No.	零部件图号 Part No.	零部件名称	Description	规格状态	数量	易损属性
					Reqd. QTY	CONSUMABLE GRADE
13	380750465-0002	油管	Oil tube	T050_内径6.35_外径12.7_长120_防渗透 CARB 状态:加EPA证书是 满足REACH和ROHS要求_	1	A
14	170460039-0001	汽油泵	Gasoline pump	T460_焊接外壳,是气泵取货压,满足REACH要求_ 出油嘴方向带EX 7002标识	1	B
15	380140103-0004	六角头法兰面螺栓	Hexagon bolt with flange	GB/T 5789_M6_L=25;镀蓝白锌Q16	1	C
16	380140257-0002	六角头法兰面螺栓	Hexagon bolt with flange	GB/T 16674.1_M6_L=55镀蓝白锌Q16	2	C
17	380741529-0001	通气管	Breather tube	T465_C款_油泵通气管;满足REACH和ROHS要求	1	A
18	380751200-0001	油管	Oil tube	T465_内径6.35_外径12.7_长390_化油器到汽油 泵_ CARB状态:加EPA证书是 满足REACH要求	1	A
19	380770339-0002	保护套管	PROTECTIVE SLEEVE	T465_内径14_壁厚0.5_长320_镀锌管;满足 REACH要求	1	A
20	380140537-0001	六角头法兰面螺栓	Hexagon bolt with flange	GB/T 5789_M6_L=65;镀蓝白锌Q16	1	C



磁电机转子部件 (FLYWHEEL)						
序号	零部件图号	零部件名称	Description	规格状态	数量	易损属性
No.	Part No.				Reqd. QTY	CONSUMABLE GRADE
1	270190061-0002	充电线圈部件	Components of charging current armature	T465;满足REACH要求	1	A
2	380190039-0005	内六角螺钉	Socket head screw	GB/T 70.1_M6_L=25;镀蓝白锌Q16	4	C
3	270020439-0001	磁电机转子部件	FLYWHEEL COMP	T465;满足REACH要求	1	B
4	380450702-0001	平垫圈	Flat washer	T390_内径13_外径38_厚度3.5;氧化Q07	1	C
5	380140457-0001	六角头法兰面螺栓	Hexagon bolt with flange	T390_M12×1.25_L=35_飞轮螺栓;镀蓝白锌Q16	1	C
6	160180061-0001	叶轮	Impeller	T465_B款;满足REACH要求	1	B
7	160850012-0001	叶轮罩	Impeller cover	T465_C款;满足REACH要求	1	B
8	380140769-0001	六角头法兰面螺栓	Hexagon bolt with flange	GB/T 5789_M6_L=65_10.9级;镀蓝白锌Q16	4	C
9	380140103-0004	六角头法兰面螺栓	Hexagon bolt with flange	GB/T 5789_M6_L=25;镀蓝白锌Q16	4	C
10	270920452-0002	点火线圈	COIL ASSY.,IGNNTION	T465_左;满足REACH要求	1	A
11	270920453-0002	点火线圈	COIL ASSY.,IGNNTION	T465_右;满足REACH要求	1	A
12	380140013-0005	六角头法兰面螺栓	Hexagon bolt with flange	GB/T 5789_M6_L=16;镀蓝白锌Q16	2	C
13	380140040-0005	六角头法兰面螺栓	Hexagon bolt with flange	GB/T 16674.1_M8_L=16;镀蓝白锌Q16	1	C



调速控制 (CONTROL)						
序号	零部件图号	零部件名称	Description	规格状态	数量	易损属性
No.	Part No.				Reqd. QTY	CONSUMABLE GRADE
1	171610040-0001	节气门复位弹簧	throttle return spring	T465;	1	A
2	171590040-0001	油门拉杆	Throttle rod	T390_总长72.5,杆径φ2.5;	1	B
3	380140013-0005	六角头法兰面螺栓	Hexagon bolt with flange	GB/T 5789_M6_L=16;镀蓝白锌Q16	2	C
4	171650059-0001	阻风门拉杆	Choke valve pull rod	T465_C款;镀蓝白锌Q16	1	B
5	381140626-0001	拉簧	Tension spring	T465_阻风门复位弹簧;	1	A
6	171680211-0001	油门操纵手柄组合	Throttle handle combination	T465_C款_优化空行程;镀蓝白锌Q16	1	B
7	173090003-0001	阻风门拉杆锁夹	Locker of choke valve pull rob	T400;	1	A
8	171620065-0001	调速支架	Speed regulating bracket	T465_C款_增加怠速控制孔;市刀开关端系止螺 钉/六角法兰面螺母,不带防滑齿,镀蓝白锌Q16	1	C
9	171600159-0001	调速弹簧	Governing spring	T465_线径1.2,中径7.8,圈数20_2800rpm;	1	A
10	171610048-0001	节气门复位弹簧	throttle return spring	T465_线径1.0,中径7.1,圈数14,长度70;	1	A
11	175400001-0001	怠速调整支架		T465_双孔定位;镀蓝白锌Q16	1	C

